

L Number	Hits	Search Text	DB	Time stamp
-	19377068	@ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 15:49
-	6002	@ad<20000809 AND bandwidth.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 08:54
-	147	(@ad<20000809 AND bandwidth.ti.) AND (calculat\$3 measur\$4).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 14:33
-	960	@ad<20000809 AND (bandwidth WITH (calculat\$3 measur\$4)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 11:19
-	201	@ad<20000809 AND (bandwidth NEAR (calculat\$7 measur\$7)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 15:41
-	609	@ad<20000809 AND ((bandwidth throughput) NEAR (calculat\$7 measur\$7 test)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 15:41
-	8	@ad<20000809 AND ((bandwidth throughput) NEAR (calculat\$7 measur\$7 test)).ab. AND 709/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 15:41
-	8639	@ad<20000809 AND (bandwidth throughput).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 08:56
-	698	(@ad<20000809 AND (bandwidth throughput).ti.) AND (determin\$7 calculat\$7 measur\$7).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 08:55
-	194	@ad<20000809 AND ((bandwidth throughput) NEAR (determin\$7 calculat\$7 measur\$7)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 08:56
-	29	@ad<20000809 AND (packet WITH entrop\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 09:24
-	1	@ad<20000809 AND (packet WITH high\$2 WITH entrop\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 09:25

-	189	@ad<20000809 AND (data WITH high\$2 WITH entrop\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 09:26
-	40	@ad<20000809 AND (data WITH (high\$2 NEAR entrop\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 09:26
-	0	@ad<20000809 AND (packet-pair)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 09:57
-	210	@ad<20000809 AND (packet ADJ pair)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 10:03
-	8	@ad<20000809 AND (packet ADJ pair) AND (uncompress\$7 (non ADJ compress\$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 09:59
-	1	@ad<20000809 AND (packet ADJ pair ADJ technique)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 10:03
-	24	@ad<20000809 AND (packet WITH avoid\$4 WITH fragment\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 14:18
-	1418	@ad<20000809 AND (entrop\$2 WITH compress\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 14:19
-	58	@ad<20000809 AND (entrop\$2 WITH compress\$3 WITH relate\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 14:19
-	257	@ad<20000809 AND ("data compression" WITH entropy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 14:45
-	0	@ad<20000809 AND ("data compression" WITH entropy WITH shannon)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 14:45
-	12	@ad<20000809 AND ("data compression" WITH shannon)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 14:46

-	413	@ad<20000809 AND TAPI	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/25 11:11
-	297	@ad<20000809 AND TAPI AND ((determine discover) bandwidth)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/25 07:50
-	2	@ad<20000809 AND TAPI AND ((determine discover) ADJ bandwidth)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/25 07:50
-	1	@ad<20000809 AND (((query ask) ADJ modem) with bandwidth)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/25 07:57
-	11	@ad<20000809 AND ((query ask) WITH modem with bandwidth)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/25 07:58
-	3	@ad<20000809 AND (query WITH "connection speed")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/25 10:56
-	105	@ad<20000809 AND ("measuring bandwidth")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/25 09:33
-	95	@ad<20000809 AND (ATM WITH dynamic WITH bandwidth)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/25 10:59
-	1	@ad<20000809 AND (verif\$3 WITH "connection speed")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/25 11:11
-	145	@ad<20000809 AND ("telephony Application Programming Interface")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/25 11:40
-	261	@ad<20000809 AND (packet WITH fragmentation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/25 11:45
-	4	@ad<20000809 AND (packet WITH avoid WITH fragmentation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/25 11:45

-	0	@ad<20000809 AND (median WITH list WITH bandwidth)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/25 11:57
-	1197	@ad<20000809 AND (verify NEAR result)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 10:30
-	30	(@ad<20000809 AND (verify NEAR result)) AND 709/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 08:54
-	14	@ad<20000809 AND (verify ADJ bandwidth)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 10:20
-	0	@ad<20000809 AND (verify ADJ connection ADJ speed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 10:17
-	37	@ad<20000809 AND (verify ADJ rate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 10:18
-	8	@ad<20000809 AND ((verify NEAR result) WITH range)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 10:33
-	21	@ad<20000809 AND (verify WITH result WITH abnormal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 10:33
-	1834	@ad<20000809 AND (result WITH median)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 11:53
-	4	@ad<20000809 AND (result WITH median WITH list)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 11:43
-	0	@ad<20000809 AND ((stor\$3 ADJ result) SAME (list WITH median))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 11:45
-	53	@ad<20000809 AND (result WITH median WITH stor\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 11:49

-	1583	@ad<20000809 AND (result WITH list WITH stor\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 11:49
-	1	@ad<20000809 AND ((result WITH list WITH stor\$3) SAME median)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 11:53
-	156	@ad<20000809 AND ((result WITH stor\$3) SAME median)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 11:54
-	12	@ad<20000809 AND ((stor\$3 ADJ result) SAME median)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 11:55
-	19379263	@ad<20000809 (median WITH "most likely" WITH actual)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 13:44
-	1	@ad<20000809 AND (median WITH "most likely" WITH actual)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 13:04
-	299	@ad<20000809 AND (median WITH actual)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 13:04
-	19	@ad<20000809 AND (results WITH median WITH actual)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 13:27
-	9	@ad<20000809 AND (median ADJ represent\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 13:19
-	7	@ad<20000809 AND (results WITH median WITH typical)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 13:29
-	293	@ad<20000809 AND (median WITH typical)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 13:35
-	254	@ad<20000809 AND (median WITH typical) NOT (typical ADJ median)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 13:36

-	0	@ad<20000809 AND ("use the median")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 13:36
-	0	@ad<20000809 AND ("take the median")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 13:36
-	19379281	@ad<20000809 (bandwidth AND (noncompressible "non-compressible"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 13:46
-	30	@ad<20000809 AND (bandwidth AND (noncompressible "non-compressible"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 13:51
-	16541	@ad<20000809 AND (bandwidth AND packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 13:51
-	1460	@ad<20000809 AND (bandwidth AND (packet WITH \$3compress\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 13:53
-	139	@ad<20000809 AND (bandwidth AND (packet WITH \$2ncompress\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 13:53
-	76	@ad<20000809 AND (entropy ADJ2 defined)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 09:52
-	85	@ad<20000809 AND (entropy WITH shannon)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 09:53
-	18	@ad<20000809 AND ((entropy WITH shannon) SAME compress\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 09:54
-	11	@ad<20000809 AND (bandwidth WITH (calculat\$3 measur\$4)).ab. AND (TCP AND UDP)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 11:20
-	6	("5446735" "6058102" "6269401" "6363056" "6366563" "6469986").PN.	USPAT	2003/09/30 13:41
-	3	@ad<20000809 AND (select WITH file WITH (send transmit) WITH bandwidth)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 14:40

-	126	@ad<20000809 AND ("bandwidth dependent")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 15:38
-	1	@ad<20000809 AND ("bandwidth dependent" WITH file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 15:37
-	7	@ad<20000809 AND ("bandwidth dependent" SAME (video multimedia))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 15:38
-	19381748	@ad<20000809 ((low ADJ resolution) WITH (high ADJ resolution))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 15:40
-	4147	@ad<20000809 AND ((low ADJ resolution) WITH (high ADJ resolution))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 15:40
-	337	@ad<20000809 AND ((low ADJ resolution) WITH (high ADJ resolution) WITH video)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 15:40
-	0	@ad<20000809 AND ((low ADJ resolution) WITH (high ADJ resolution) WITH video WITH depend)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 15:40
-	16	@ad<20000809 AND ((low ADJ resolution) WITH (high ADJ resolution) WITH video WITH bandwidth)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 15:40
-	348	@ad<20000809 AND (test WITH (variety different) ADJ data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 10:33
-	38	@ad<20000809 AND (select\$3 WITH test\$3 WITH (variety different) ADJ data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 10:35
-	346	@ad<20000809 AND (select\$3 WITH test\$3 WITH (variety different) WITH set)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 10:38
-	0	@ad<20000809 AND (select\$3 WITH test\$3 WITH "set of")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 10:38

-	1	@ad<20000809 AND (test\$3 WITH "set of")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 10:38
-	19380317	@ad<20000809 (test ADJ different ADJ type)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 14:01
-	157	@ad<20000809 AND (test ADJ different ADJ type)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 14:06
-	275	@ad<20000809 AND (test ADJ different SAME set)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 14:07
-	275	@ad<20000809 AND ((test ADJ different) SAME set)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 14:26
-	1023	@ad<20000809 AND ("different packets")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 14:37
-	4	@ad<20000809 AND (test WITH "different packets")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 14:37
-	73	@ad<20000809 AND "FIFO list"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 15:08
-	1	@ad<20000809 AND ("FIFO list" WITH results)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 15:08
-	16	@ad<20000809 AND ("FIFO list" WITH data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 15:08
-	0	@ad<20000809 AND (measure WITH "packet pair")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 15:49
-	210	@ad<20000809 AND ("packet pair")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 15:50

-	0	@ad<20000809 AND ("packet pai techniquer")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 15:50
-	0	@ad<20000809 AND ("packet pai technique")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 15:50
-	1	@ad<20000809 AND ("packet pair technique")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 15:51
-	24	@ad<20000809 AND ("measuring bandwidth").ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 15:51